

# Safety Data Sheet

## ATPColor EASY 3.3 DISPERSE INK MAGENTA

Safety Data Sheet, Rel. 2.0 on 18 July 2016.

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: ATPColor EASY 3.3 DISPERSE INK MAGENTA

Trade code: 60INKD0032/5

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Digital printing ink

#### 1.3. Details of the supplier of the safety data sheet

Company: ATPColor Srl  
Via Mascagni, 42  
20030 Senago (MI)  
Italy

Competent person responsible for the safety data sheet: Roberto Martellono

1.4. Emergency telephone number: +39 02 9986 777

---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)



Warning, Skin Sens. 1, May cause an allergic skin reaction.

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H317 May cause an allergic skin reaction.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

EUH208 Contains 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Contents:

Disperse red 60

# Safety Data Sheet

## ATPColor EASY 3.3 DISPERSE INK MAGENTA

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards
























## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
3% - 5%	Disperse red 60	CAS: 17418-58-5 EC: 241-442-6	 3.4.2/1 Skin Sens. 1 H317
109 ppm	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Index number: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9	      
109 ppm	2-methyl-4-isothiazolin-3-one	CAS: 2682-20-4 EC: 220-239-6	      
100 ppm	2-aminoethanol; ethanolamine	Index number: 603-030-00-8 CAS: 141-43-5 EC: 205-483-3	     
60 ppm	ethanediol; ethylene glycol	Index number: 603-027-00-1 CAS: 107-21-1 EC: 203-473-3	 

# Safety Data Sheet

## ATPColor EASY 3.3 DISPERSE INK MAGENTA

---

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### Contact with skin:

Remove contaminated clothing immediately and dispose off safely.

##### Contact with eyes:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

##### Swallowing:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

##### Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### Treatment:

None

---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Recommended extinguishers:

Water, CO<sub>2</sub>, Foam, Chemical powders, according to the materials involved in the fire.

Carbon dioxide (CO<sub>2</sub>).

##### Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

#### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

---

# Safety Data Sheet

## ATPColor EASY 3.3 DISPERSE INK MAGENTA

---

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

#### 7.3. Specific end use(s)

None in particular

---

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

2-aminoethanol; ethanolamine - CAS: 141-43-5

EU - LTE(8h): 2.5 mg/m<sup>3</sup>, 1 ppm - STE: 7.6 mg/m<sup>3</sup>, 3 ppm - Notes: Skin

ACGIH - LTE(8h): 3 ppm - STE: 6 ppm - Notes: Eye and skin irr

ethanediol; ethylene glycol - CAS: 107-21-1

EU - LTE(8h): 52 mg/m<sup>3</sup>, 20 ppm - STE: 104 mg/m<sup>3</sup>, 40 ppm - Notes: Skin

ACGIH - STE: C 100 mg/m<sup>3</sup> - Notes: A4, (H) - URT and eye irr

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

#### 8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

# Safety Data Sheet

## ATPColor EASY 3.3 DISPERSE INK MAGENTA

---

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance:	liquido	--	--
Colour:	--	--	--
Odour:		--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	8	--	--
Flash point:	> 100 ° C	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	1,132 g/cm3	--	--
Solubility in water:		--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

#### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:		--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

---

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions

#### 10.2. Chemical stability

Stable under normal conditions

#### 10.3. Possibility of hazardous reactions

None

#### 10.4. Conditions to avoid

# Safety Data Sheet

## ATPColor EASY 3.3 DISPERSE INK MAGENTA

Stable under normal conditions.

### 10.5. Incompatible materials

None in particular.

### 10.6. Hazardous decomposition products

None.

---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

ethanediol; ethylene glycol - CAS: 107-21-1

#### a) acute toxicity:

Test: LD50 - Route: oral - Species: rat 7712 mg/kg

Test: LD50 - Route: dermal - Species: rat > 3500 mg/kg

Test: LC50 - Route: inhalation - Species: rat > 2.5 mg/l

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

---

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 1.6 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: NOEC - Species: Fish 0.21 mg/l

#### b) Aquatic chronic toxicity:

Endpoint: EC50 - Species: Daphnia 3.27 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: NOEC - Species: Daphnia 1.2 mg/l - Notes: 21 d / Daphnia magna

#### e) Plant toxicity:

Endpoint: EC50 - Species: Algae 0.11 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum

2-methyl-4-isothiazolin-3-one - CAS: 2682-20-4

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 6 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: NOEC - Species: Fish 2.38 mg/l - Notes: 28 d / Pimephales promelas

#### b) Aquatic chronic toxicity:

Endpoint: EC50 - Species: Daphnia 1.68 mg/l - Duration h: 48 - Notes: Daphnia magna

# Safety Data Sheet

## ATPColor EASY 3.3 DISPERSE INK MAGENTA

- Endpoint: NOEC - Species: Daphnia 0.55 mg/l - Notes: 21 d / Daphnia magna
- e) Plant toxicity:  
Endpoint: EC50 - Species: Algae 0.157 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subspicata  
Endpoint: NOEC - Species: Algae 0.03 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subspicata
- ethanediol; ethylene glycol - CAS: 107-21-1
- a) Aquatic acute toxicity:  
Endpoint: LC50 - Species: Fish 72860 mg/l
- b) Aquatic chronic toxicity:  
Endpoint: EC50 - Species: Daphnia > 100 mg/l - Notes: Daphnia magna
- e) Plant toxicity:  
Endpoint: EC50 - Species: Algae > 6500 mg/l
- 12.2. Persistence and degradability  
2-methyl-4-isothiazolin-3-one - CAS: 2682-20-4  
Biodegradability: Readily biodegradable - Test: N.A. - Duration: N.A. - %: N.A. - Notes: N.A.
- 12.3. Bioaccumulative potential  
N.A.
- 12.4. Mobility in soil  
N.A.
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

---

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

### SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

---

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

# Safety Data Sheet

## ATPColor EASY 3.3 DISPERSE INK MAGENTA

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

No restriction.

Pronto all'Usò

Volatile Organic compounds - VOCs = 0.01 %

Volatile Organic compounds - VOCs = 0.06 g/Kg

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 0.00

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No

---

### SECTION 16: Other information

Full text of phrases referred to in Section 3:

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

H373 May cause damage to organs through prolonged or repeated exposure.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B



# Safety Data Sheet

## ATPColor EASY 3.3 DISPERSE INK MAGENTA

Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

SECTION 4: First aid measures

SECTION 5: Firefighting measures

SECTION 6: Accidental release measures

SECTION 8: Exposure controls/personal protection

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 15: Regulatory information

SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.

## Safety Data Sheet

### ATPColor EASY 3.3 DISPERSE INK MAGENTA

INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.